BELT DRESSING

Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 07/07/2015 Revision date: 05/06/2015

Version: 10.0

BELT DRESSING

BELT DRESSING	K40
	substance/mixture and of the company/undertaking
1.1. Product identifier	 NU-douge
Product form	: Mixture · BELT DRESSING
Product name Product code	: K408
Type of product	: Aerosol
Vaporizer	: Aerosol
1.2. Relevant identified uses of the	substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: Drive Belt Conditioning Spray
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the sa	
SELDEN RESEARCH LIMITED	Chemodex Ltd, Canal Road, Worksop, Notts S80 2EH, UK Tel: 01909 473301 Fax: 01909 500961 Email:sales@chemodex.co.uk
1.4. Emergency telephone number	
Emergency number	: Mon to Fri 8.30am to 5.00pm - 01909 473301
	· Work to Fire 5.00pm - 01000 470001
SECTION 2: Hazards identificati	on
2.1. Classification of the substance	e or mixture
Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aerosol 1 H222;H229	
STOT SE 3 H336	
Aquatic Chronic 3 H412	
•	
Full text of H-phrases: see section 16	
Full text of H-phrases: see section 16	No. 1272/2008 [CLP]
Full text of H-phrases: see section 16 2.2. Label elements	No. 1272/2008 [CLP]
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC)	
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC)	
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC)	
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP)	
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP)	GHS02 GHS07
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	: GHS02 GHS07 : Danger : pentane isopentane, 2-methylbutane : H222 - Extremely flammable aerosol
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	: GHS02 GHS02 GHS07 : Danger : pentane isopentane, 2-methylbutane : H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	: GHS02 GHS07 : Danger : pentane isopentane, 2-methylbutane : H222 - Extremely flammable aerosol
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 GHS02 GHS07 Danger pentane isopentane, 2-methylbutane H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated H336 - May cause drowsiness or dizziness H412 - Harmful to aquatic life with long lasting effects P102 - Keep out of reach of children
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 : With the second sec
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 : With the second sec
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 : i i i i i i i i i i i i i i i i i i
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 : With the second sec
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 For the second second
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC)	 : i i i i i i i i i i i i i i i i i i
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) I Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP) Precautionary statements (CLP)	 For the second second
Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) I Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP) Precautionary statements (CLP)	 For the second second

according to Regulation (EC) No. 453/2010

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C10-12, isoalkanes, <2% aromatics	(CAS No) 90622-57-4 (EC no) 923-037-2 (REACH-no) 01- 2119471991-29	30 - 60	Xn; R65 R66 R53	Asp. Tox. 1, H304 Aquatic Chronic 4, H413
pentane isopentane, 2-methylbutane	(CAS No) 109-66-0 (EC no) 203-692-4 (EC index no) 601-006-00-1	15 - 30	F+; R12 Xn; R65 R66 R67 N; R51/53	Flam. Liq. 2, H225 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/injuries after eye contact	: Causes eye irritation.
Symptoms/injuries after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.
4.3. Indication of any immediate medical	l attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the sul	bstance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Explosion risk in case of fire.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
SECTION 6. Accidental release man	
SECTION 6: Accidental release meas	
	uipment and emergency procedures
General measures	: Remove ignition sources.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2 For omorgonou roonondere	
6.1.2. For emergency responders	· Lies personal protective equipment as required
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	ent and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
Document generated @ 07/07/2015 13:50:52	Page 2 of

according to Regulation (EC) No. 453/2010

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use.		
Precautions for safe handling	Do not spray on an open flame or other ignition source.		
Hygiene measures	: Do not eat, drink or smoke when using this product.		
7.2. Conditions for safe storage, inclu	Iding any incompatibilities		
Technical measures	: Does not require any specific or particular technical measures.		
Storage conditions	: Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.		
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.		
Incompatible materials	: Direct sunlight. Heat sources. Sources of ignition.		
Special rules on packaging	: Keep only in original container.		
7.3. Specific end use(s)			

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Materials for protective clothing	: Not required for normal conditions of use
Hand protection	: Protective gloves
Eye protection	: Not required for normal conditions of use
Skin and body protection	: Not required for normal conditions of use
Respiratory protection	: Not required for normal conditions of use



SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and	chemical properties		
Physical state	: Liquid		
Appearance	: Aerosol.		
Colour	: light brown.		
Odour	: odourless.		
Odour threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: No data available		
Vapour pressure	: No data available		
Relative vapour density at 20 °C	: No data available		
Relative density	: 0.79		
Solubility	: No data available		
Log Pow	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		

K408

BEL	T DRESSING		K408
-	y Data Sheet to Regulation (EC) No. 453/2010		
Explos	ve properties	: No data available	
Oxidisi	ng properties	: No data available	
Explos	ve limits	: No data available	
9.2.	Other information		
No add	litional information available		
SECT	ION 10: Stability and reacti	vity	
10.1.	Reactivity		
Pressu	rised container: May burst if heated.		
10.2.	Chemical stability		
Stable	under normal conditions.		
10.3.	Possibility of hazardous reaction	ns	
No add	litional information available		
10.4.	Conditions to avoid		
Direct	sunlight. Heat. Open flame.		
10.5.	Incompatible materials		
No add	litional information available		
10.6.	Hazardous decomposition proc	ucts	
No add	litional information available		

No additional information available

SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
NSF BELT DRESSING SPRAY	
Vaporizer	Aerosol

SECTIO	ON 12: Ecological information	
12.1.	Toxicity	
No additi	onal information available	
12.2.	Persistence and degradability	
No additi	onal information available	
12.3.	Bioaccumulative potential	
No additi	onal information available	
12.4.	Mobility in soil	
No additi	onal information available	
12.5.	Results of PBT and vPvB assessment	
No additi	onal information available	
12.6.	Other adverse effects	
No additi	onal information available	
SECTIO	ON 13: Disposal considerations	
13.1.	Waste treatment methods	
Waste dis	sposal recommendations :	Do not pierce or burn, even after use.

according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010	
SECTION 14: Transport information	on
In accordance with ADR / RID / IMDG / IATA	/ ADN
14.1. UN number	
UN-No. (ADR)	: 1950
UN-No. (IMDG)	: 1950
UN-No.(IATA)	: 1950
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: AEROSOLS
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: AEROSOLS, FLAMMABLE
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 2.1
Danger labels (ADR)	: 2.1
IMDG	
Transport hazard class(es) (IMDG)	: 2.1
Danger labels (IMDG)	: 2.1
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 2.1
Hazard labels (IATA)	: 2.1
	. 2.1
	:
	2
	•
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No

Marine pollutant

Other information : No supplementary information available

: No

14.6. Special precautions for user

- Overland	transport
------------	-----------

Classification code (ADR)	:	5F
Special provisions (ADR)	:	190, 327, 344, 625
Limited quantities (ADR)	:	1L

BELT DRESSING

Safety Data Sheet

according to Regulation (EC) No. 453/2010

c			
	Excepted quantities (ADR)	:	E0
	Packing instructions (ADR)	:	P207, LP02
	Special packing provisions (ADR)	:	PP87, RR6, L2
	Mixed packing provisions (ADR)	:	MP9
	Transport category (ADR)	:	2
	Special provisions for carriage - Packages (ADR)	:	V14
	Special provisions for carriage - Loading, unloading and handling (ADR)	:	CV9, CV12
	Special provisions for carriage - Operation (ADR)	:	S2
	Tunnel restriction code (ADR)	:	D
	- Transport by sea		
	Special provisions (IMDG)	:	63, 190, 277, 327, 344,
	Limited quantities (IMDG)	:	SP277
	Excepted quantities (IMDG)	:	E0
	Packing instructions (IMDG)	:	P207, LP02
	Special packing provisions (IMDG)	:	PP87, L2
	EmS-No. (Fire)	:	F-D
	EmS-No. (Spillage)	:	S-U
	Stowage category (IMDG)	:	None
	- Air transport		
	PCA Excepted quantities (IATA)	:	E0
	PCA Limited quantities (IATA)	:	Y203
	PCA limited quantity max net quantity (IATA)	:	30kgG
	PCA packing instructions (IATA)	:	203
	PCA max net quantity (IATA)	:	75kg
	CAO packing instructions (IATA)	:	203
	CAO max net quantity (IATA)	:	150kg
	Special provisions (IATA)	:	A145, A167, A802
	ERG code (IATA)	:	10L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

```
IBC code
```

: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference	: Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Denmark	

959

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

according to Regulation (EC) No. 453/2010

Aerosol 1	Aerosol, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H304	May be fatal if swallowed and enters airways
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life
EUH066	Repeated exposure may cause skin dryness or cracking

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product